DAILY: EVERY DAY SYSTEM RUNS
1X WEEK: 1 DAY OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)
1X MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH
SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

	Discharge Limitations		Monitoring Requirements			
	Regulated Parameter	Maximum for Any one Day mg/L	RESULT	DATE TAKEN	Monitoring Frequency	Sample Type
Cd	Cadmium[5]	.02			Semi-Annual	Composite[2]
Cr	Total Chromium[5]	2.0			Semi-Annual	Composite[2]
Cu	Copper[5]	0.60			Semi-Annual	Composite[2]
Ca	Cyanide	0.50			Semi-Annual	Grab
Pb	Lead[5]	0.10			Semi-Annual	Composite[2]
Ni	Nickel[5]	0.80			Semi-Annual	Composite[2]
	Silver[5]	0.24			Semi-Annual	Composite[2]
Zn	Zinc[5]	1.25	0.51	11-21-00	1 X Week	Composite[2]
FOG	Oil and Grease[6]	100			Semi-Annual	Grab
OIL + GREASE HYDROCARBONS	TPH[6]	(Monitor and report)			Semi-Annual	Grab
	pH	6-10			Daily	Grab
	CBOD [4]	(Monitor and report)			1 X Month	Composite[2]
Nh3	Ammonia [4]	(Monitor and report)			1 X Month	Composite[2]
	COD [4]	(Monitor and report)			1 X Month	Composite[2]
	TSS [4]	(Monitor and report)			1 X Month	Composite[2]
	Flow	N/A			Daily [3]	
*	TTO	2.13			Semi-Annual	Grab
	Phenol	0.50			Semi-Annual	Grab
Mo	Molybdenum[5]	(Monitor and report)			1 X Month	Composite[2]

* SEND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR CATEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)

DATE: NOVEMBER 21TH, 2000

MILBANK MANUFACTURING COMPANY

TIME	METER READING	INITIALS
7:00	129460	SLH
7:30	129480	SLH
8:00	129630	SLH
8:30	129760	SLH
9:00	129900	SLH
9:30	130050	SLH
10:00	130220	SLH
10:30	130410	SLH
11:00	130600	SLH
11:30	130740	SLH
12:00	130910	SLH
12:30	131140	SLH
1:00	131340	SLH
1:30	131540	SLH
2:00	131750	SLH
2:30	131950	SLH
3:00	132120	SLH
3:30	132230	SLH

11-22-00

Please test for the following highlighted

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

Discharge Limitations		Monitoring Requirements	
Regulated Parameter	Maximum for Any one Day mg/L	Monitoring Frequency	Sample Type
Cadmium[5]	.02	Semi-Annual	Composite[2]
Total Chromium[5]	2.0	Semi-Annual	Composite[2]
Copper[5]	0.60	Semi-Annual	Composite[2]
Cyanide	0.50	Semi-Annual	Grab
Lead[5]	0.10	Semi-Annual	Composite[2]
Nickel[5]	0.80	Semi-Annual	Composite[2]
Silver[5]	0.24	Semi-Annual	Composite[2]
Zinc[5]	1.25	1 X Week	Composite[2]
Oil and Grease[6]	100	Semi-Annual	Grab
TPH[6]	(Monitor and report)	Semi-Annual	Grab
pH	6-10	Daily	Grab
CBOD [4]	(Monitor and report)	1 X Month	Composite[2]
Ammonia [4]	(Monitor and report)	1 X Month	Composite[2]
COD [4]	(Monitor and report)	1 X Month	Composite[2]
TSS [4]	(Monitor and report)	1 X Month	Composite[2]
Flow	N/A	Daily [3]	
TTO	2.13	Semi-Annual	Grab
Phenol	0.50	Semi-Annual	Grab
Molybdenum[5]	(Monitor and report)	1 X Month	Composite[2]

TestAmerica
INCORPORATED

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/29/2000

Job Number: 00.06372

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Time Taken	Date Received
281352	WEEKLY - ZINC ONLY	11/16/2000	15:30	11/17/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Project Representative

TestAmerica
INCORPORATED

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/29/2000

Job No.: 00.06372

Date Received: 11/17/2000
Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D. Parameters	Wet Wt. Result	Flag	Sample Date/ Units	Analyst Date & Time Analyzed	Method	Reporting Limit
281352 WEEKLY - ZINC ONLY			11/16/2000 15:30			
Zinc, ICP	0.021		mg/L	out 11/25/2000 14:35	EPA 200.7	<0.020

TestAmerica INCORPORATED

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

TestAmerica INCORPORATED

Division/Laboratory Name: Indianapolis Division

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?
Compliance Monitoring Yes N
Enforcement Action Yes No

DEC - 5 2000

Client Name: Milbank Client #:
Address: 1400 East Havens Street
City/State/Zip Code: Kokomo, IN 56901-3188
Project Manager: Mr. Richard Tyler
Telephone Number: 765-452-5694 Fax:
Sampler Name: (Print Name) Michael Millika
Sampler Signature: M E Millika

Report To: Mr. Richard Tyler
Invoice To:
Quote #: 98.0060 PO#:
Project Name: Weekly Wastewater
Project #:
Site/Location ID: State: IN

TAT
X Standard
___ Rush (surcharges may apply)
___ Other:
Date Needed:
Fax Results: Y N

QC Deliverables
___ None
___ Level 2 (Batch QC)
___ Level 3
___ Level 4
Other:

SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix: SL - Sludge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater Specify Other	Preservation & # of Containers: HNO_3 (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H_2SO_4 Plastic (Yellow Label)	H_2SO_4 Glass(Yellow Label)	None (Black Label)	Other (Specify)	Analyze For: Zn	REMARKS
Weekly - Comp	11/16/00	1530	C	N	WW						18		X	

Special Instructions:
********PLEASE COMPOSITE USING FLOW READINGS ATTACHED********

LABORATORY COMMENTS:
Init Lab Temp:
Rec Lab Temp: 5.3° c
Custody Seals: Y N N/A
Bottles Supplied by TestAmerica: Y N
Method of Shipment:

Relinquished By: M E Millika	Date: 11/17/00	Time: 1620	Received By:	Date: 11/17/00	Time: 16:20
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time: